Acta Physiol Scand 1992, **146**, 551–555

Author index

AARS, H., GAZELIUS, B., EDWALL, L. & OLGART, L. Effects of autonomic reflexes on tooth pulp blood flow in man, 423

ÅDÉN, U. (*see* JOHANSSON, B.)

ÅKERLUND, S. (*see* HARALDSSON, G.)

ALM, P., LARSSON, B. & ANDERSSON, K.E. NADPH diaphorse activity and non-adrenergic, non-cholinergic relaxation of the human gastrointestinal tract, 285

ALSTER, P. (*see* UVNÄS-MOBERG, K.)

ALVING, K., FORNHEM, C., WEITZBERG, E. & LUNDBERG, J.M. Nitric oxide mediates cigarette smoke-induced vasodilatory responses in the lung, 407

ANDERSEN, K.J. (*see* HYSING, J.)

ANDERSSON, B. (*see* ERIKSSON, S.)

ANDERSSON, K.-E. (*see* IGAWA, Y.)

ANDERSSON, K.E. (*see* ALM, P.)

ANDERSSON, K.E., HOLMQUIST, F. & BØDKER, A. Castration enhances NANC nerve-mediated relaxation in rabbit isolated corpus cavernosum, 405

ANDERSSON, S. (*see* OLAUSSON, B.)

APERIA, A. (*see* MENDEZ, C.F.)

APERIA, A. (*see* SAHLGREN, B.)

ARLOCK, P., WOHLFART, B., MÖRNER, S.E.J.N. & BRANDT, J. Force production in voltage-clamped human atrial muscle, 31

ATKINSON, S.A. (*see* MACDOUGALL, J.D.)

BANGSBO, J., SJÖDIN, B. & HELLSTEN-WESTING, Y. Exchange of hypoxanthine in muscle during intense exercise in man, 549

BERGSTRÖM, G. (*see* RUDENSTAM, J.)

BERGSTÖM, G., RUDENSTAM, J., FOLKOW, B., KARLSTRÖM, G. & GÖTHBERG, G. *N*-ω-nitro-L-arginine inhibits the renomedullary vasodepressor response in a Wistar 'assay' rat, otherwise induced by extracorporeal high-pressure perfusion of an isolated kidney, 527

BIE, P. (*see* EMMELUTH, C.)

BIJAMN, J. (*see* SAGSTRÖM. S.)

BIRKHEAD, D. (*see* BORG-ANDERSSON, A.)

BJORNTÖRP, P. (*see* HOLMANG, A.)

BLIX, A.S. (*see* FOLKOW, L.P.)

BLOMSTRAND, E. & NEWSHOLME, E.A. Effect of branched-chain amino acid supplementation on the exercise-induced change in aromatic amino acid concentration in human muscle, 293

BØDKER, A. (*see* ANDERSSON, K.E.)

BÖJÖ, L., CASSUTO, J. & NELLGÅRD, P. Pain induced inhibition of gastric motility is mediated by adrenergic and vagal non-adrenergic reflexes in the rat, 377

BORG, I. (*see* HICKNER, R.C.)

BORG-ANDERSSON, A., EKSTRÖM, J. & BIRKHEAD, D. Glucose in human parotid saliva in response to cold stress, 283

BOTTINELLI, R. (*see* MÖRNER, S.E.J.N.)

BRANDT, J. (*see* ARLOCK, P.)

BRATELL, S. (*see* HARALDSSON, G.)

BRODIN, E. (*see* ROSÉN, A.)

BRODIN, K. (*see* ROSÉN, A.)

BRUZELIUS, G. (*see* UVNÄS-MOBERG, K.)

BUSKELA, E. (*see* MORITA-TSUZUKI, Y.)

CANEPARI, M. (*see* MÖRNER, S.E.J.N.)

CAPPELLI, V. (*see* MÖRNER, S.E.J.N.)

CASELLAS, D. (*see* MORSING, P.)

CASSUTO, J. (*see* BÖJÖ, L.)

CHESLEY, A. (*see* MACDOUGALL, J.D)

COIMBRA, C. & WIELOCH, T. Hypothermia ameliorates neuronal survival when induced 2 hours after ischaemia in rat, 543

CRAGOE JR, E.J. (*see* VILLANGER, O.)

DELAY-GOYET, P., SATOH, H. & LUNDBERG, J.M. Relative involvement of substance P and GCRP mechanisms in antidromic vasodilation in the rat skin, 537

DUNÉR-ENGSTRÖM, M., LARSSON, O., FREDHOLM, B.B., LUNDBLAD, L., FAHRENKRUG, J. & LUNDBERG, J.M. Effect of acute and long-term atropine treatment on levels, release and response to VIP and PHI in the submandibular gland of cat and rat, 357

EDFELDT, H. (*see* LÄNNE, T.)

EDFELDT, H. (*see* LUNDVALL, J.)

EDMAN, Å., THEANDER, S. & GRAMPP, W. Functional effects of a hyperpolarization-activated membrane current in the lobster stretch receptor neurone, 221

EDWALL, L. (*see* AARS, H.)

EKLOF, A.-CH. (*see* SAHLGREN, B.)

EKSTRÖM, J. (*see* BORG-ANDERSSON, A.)

ELAM, M. (*see* KUNIMOTO, M.)

ELDE, R. (*see* MEISTER, B.)

EMMELUTH, C. & BIE, P. Effects, release and disposal of endothelin-1 in concious dogs, 197

ENEROTH, P. (*see* ROSÉN, A.)

ERIKSEN, M. (*see* WAALER, B.A.)

ERIKSSON, S., ANDERSSON, B. & RUNDGREN, M. Thirst and hypertension remaining after intracarotid infusions of angiotensin II in the sheep, 413

FAHRENKRUG, J. (*see* DUNÉR-ENGSTRÖM, M.)

FÄNDRIKS, L. (*see* HAMLET, A.)
FIŠTER, V. (*see* ROŠA, J.)
FOLKOW, B. (*see* BERGSTRÖM, G.)
FOLKOW, B. (*see* RUDENSTAM, J.)
FOLKOW, L.P. & BLIX, A.S. Metabolic rates of minke whales (*Balaenoptera acutorostrata*), 141
FORNHEM, C. (*see* ALVING, K.)
FORSLID, A. & HÄGGENDAL, J. Inefficiency of bilateral amygdaloid lesions to reduce the transient motor reactions exhibited by swine during exposure to CO_2, 61
FRANCO-CERCEDA, A. (*see* LOU, Y.-P.)
FREDHOLM, B.B. (*see* DUNÉR-ENGSTRÖM, M.)
FREDHOLM, B.B. (*see* JOHANSSON, B.)
FRIBERG, P. (*see* WÅHLANDER, H.)

GAUTVIK, K.M. (*see* PAULSSEN, R.H.)
GAZELIUS, B. (*see* AARS, H.)
GLENMARK, B., HEDBERG, G. & JANSSON, E. Changes in muscle fibre type from adolescence to adulthood in women and men, 251
GOBBETTI, A. (*see* ZERANI, M.)
GONZÁLEZ, E. (*see* PERSSON, A.E.G.)
GORDELADZE, J.O. (*see* PAULSSEN, R.H.)
GÖTHBERG, G. (*see* BERGSTRÖM, G.)
GÖTHBERG, G. (*see* RUDENSTAM, J.)
GRAMPP, W. (*see* EDMAN, Å.)
GUTIERREZ, M. (*see* PERSSON, A.E.G.)

HÄGGENDAL, J. (*see* FORSLID, A.)
HAMET, P. (*see* KUNEŠ, J.)
HAMLET, A., JONSON, C. & FÄNDRIKS, L. The mediation of increased duodenal alkaline secretion in response to 10 mM HCL in the anaesthetized rat. Support for the involvement of capsaicin-sensitive nerve elements, 519
HAMMARSTRÖM, M. (*see* JONSSON, B.N.)
HANSEN, J.A. (*see* LUNDBÆK, J.A.)
HANSSON, A. (*see* MENDEZ, C.F.)
HARALDSSON, G., NILSSON, U., PETTERSON, S., SCHERSTÉN, T., ÅKERLUND, S. & JONSSON, O. ESR-measurement of production of oxygen radicals *in vivo* before and after renal ischaemia in the rabbit, 99
HARDEBO, J.E. (*see* MORITA-TSUZUKI, Y.)
HARTIKAINEN, J.E.K. (*see* HEDMAN, A.E.)
HEDBERG, G. (*see* GLENMARK, B.)
HEDMAN, A.E., HARTIKAINEN, J.E.K., TAHVANAINEN, K.U.O. & HUKUMÄKI, M.O.K. Power spectral analysis of heart rate and blood pressure variability in anaesthetized dogs, 155
HEDQVIST, P. (*see* LINDBOM, L.)
HEDQVIST, P. (*see* RAUD, J.)
HELLSTEN-WESTING, Y. (*see* BANGSBO, J.)
HENRIKSSON, J. (*see* HICKNER, R.C)
HICKNER, R.C., ROSDAHL, H., BORG, I., UNGERSTEDT, U., JORFELDT, L. & HENRIKSSON, J. The ethanol technique of monitoring local blood flow changes in rat skeltal muscle: implications for microdialysis, 87
HJELMQVIST, J.E. (*see* ULLMAN, J.E.)
HOLM, E. (*see* LUNDBERG, L.E.R.)
HOLM, L. (*see* MORSING, P.)
HOLMANG, A. & BJORNTÖRP, P. The effects of testosterone on insulin sensitivity in male rats, 505
HOLMQUIST, F. (*see* ANDERSSON, K.E.)
HOLTHE, M.R. (*see* VILLANGER, O.)
HOOGEVEN, A.T. (*see* SAGSTRÖM. S.)
HUKUMÄKI, M.O.K. (*see* HEDMAN, A.E.)
HYSING, J., ØSTENSON, J., TOLLESHAUG, H., ANDERSEN, K.J. & KIIL, F. Luminal and basolateral uptake and degradation of insulin in the proximal tubules of the dog kidney, 241

IGAWA, Y., MATTIASON, A. & ANDERSSON, K.-E. Is bladder hyperactivity due to outlet obstruction in the rat related to changes in reflexes or to myogenic changes in the detrusor, 409
INGELMAN-SUNDBERG, M. (*see* MENDEZ, C.F.)
ISHIHARA, A. (*see* OISHI, Y.)
IVERSEN, P.O. Evidence for long-term fluctuations in regional blood flow within the rabbit left ventricle, 329

JACOBSSON, G. (*see* MEISTER, B.)
JANSSON, E. (*see* GLENMARK, B.)
JENNISCHE, E. & MATEJKA, G. IGF-binding and IGF-I expression in regenerating muscle of normal and hypophysectomized rats, 79
JOHANSSON, B., SVENNINGSSON, P., ÅDÉN, U., LINDSTRÖM, K. & FREDHOLM, B.B. Evidence that the increase in striatal c-fos following acute high-dose caffeine is not due to direct interaction with striatal adenosine receptors, 539
JONSON, C. (*see* HAMLET, A.)
JONSSON, B.N. & HAMMARSTRÖM, M. Influence of prostaglandins and a prostaglandin H synthase inhibitor on cervical secretion of the guinea-pig, 129
JONSSON, O. (*see* HARALDSSON, G.)
JORDFELDT, L. (*see* HICKNER, R.C.)
JØRUM, E. (*see* LUNDBERG, L.E.R.)

KAGAYA, A. (*see* SAITO, M.)
KAISJER, L. (*see* SUNDBERG, C.J.)
KARLSSON, T. (*see* KUNIMOTO, M.)
KARLSTROM, G. (*see* BERGSTRÖM, G.)
KARLSTROM, G. (*see* RUDENSTAM, J.)
KATSURA, K.-I. (*see* KRISTIÁN, T.)
KATSUTA, S. (*see* OISHI, Y.)
KEMP, G.J. (*see* THOMPSON, C.H.)
KEMP, G.J., TAYLOR, D.J., RADA, G.K. & RAJAGOPALAN, B. Bio-energetic changes in human gastrocnemius muscle 1–2 days after strenuous exercise, 11
KEULEMANS, J.L.M. (*see* SAGSTRÖM, S.)

KIHLSTROM, M.T. Lipid peroxidation capacities in the myocardium of endurance trained rats and mice *in vitro*, 177
KIIL, F. (*see* HYSING, J.)
KIRNÖ, K. (*see* KUNIMOTO, M.)
KIRNÖ, K. (*see* KUNIMOTO, M.)
KORNFELD, M. (*see* PERSSON, A.E.G.)
KOSHELEV, V.B. (*see* RODIONOV, I.M.)
KRISTIÁN, T., KATSURA, K.-I. & SEISJÖ, B.K. The influence of moderate hypothermia on cellular calcium uptake in complete ischaemia: implications for the excitotoxic hypothesis, 531
KRØIGAARD, M., THAMS, P. & THORN, N.A. Polyamines in nerve terminals and secretory granules isolated from neurohypophyses, 233
KUNES, J., POIRIER, M., TREMBLAY, J. & HAMET, P. Expression of hsp70 gene in lymphocytes from normotensive and hypertensive humans, 307
KUNIMOTO, M., KIRNÖ, K., ELAM, M., KARLSSON, T. & WALLIN, B.G. Non-linearity of skin resistance response to intraneural electrical stimulation of sudomotor nerves, 385
KUNIMOTO, M., KIRNÖ, K., ELAM, M., KARLSSON, T. & WALLIN, B.G. Neuro-effector characteristics of sweat glands in the human hand activated by irregular stimuli, 261

LÄNNE, T. & LUNDVALL, J. Mechanisms in man for rapid refill of the circulatory system in hypovolaemia, 299
LÄNNE, T., EDFELDT, H., QUITTENBAUM, S. & LUNDVALL, J. Large capillary fluid permeability in skeletal muscle and skin of man a basis for rapid beneficial fluid transfer between tissue and blood, 313
LARRSSON, B. (*see* ALM, P.)
LARSSON, L. & SALVIATI, G. A technique for studies of the contractile apparatus in single human muscle fibre segments obtained by percutaneous biopsy, 485
LARSSON, O. (*see* DUNÉR-ENGSTRÖM, M.)
LEE, L.-Y. (*see* SATOH, H.)
LINDBOM, L. (*see* RAUD, J.)
LINDBOM, L., XIE, X., RAUD, J. & HEDQVIST, P. Chemoattractant-induced firm adhesion of leukocytes to vascular endothelium *in vivo* is critically dependent on initial leukocyte rolling, 415
LINDSTRÖM, K. (*see* JOHANSSON, B.)
LIU, Y. (*see* VON EULER, G.)
LIUNDBERG, J. M. (*see* LOU, Y.-P.)
LOU, Y.-P. (*see* SATOH, H.)
LOU, Y.-P., FRANCO-CERCEDA, A. & LIUNDBERG, J.M. Different ion channel mechanisms between low concentrations of capsaicin and high concentrations of capsaicin and nicotine regarding peptide release form pulmonary afferents, 119
LUNDBÆK, J.A. & HANSEN, J.A. Brain interstitial volume fraction and tortuosity in anoxia. Evaluation of the ion-selective micro-electrode method, 473
LUNDBERG, J.M. (*see* ALVING, K.)
LUNDBERG, J.M (*see* DELAY-GOYET, P.)
LUNDBERG, J.M. (*see* DUNÉR-ENGSTRÖM, M.)
LUNDBERG, J.M. (*see* SATOH, H.)
LUNDBERG, L.E.R., JØRUM, E., HOLM, E. & TORE-BJÖRK, H.E. Intra-neural electrical stimulation of cutaneous nociceptive fibres in humans: effects of different pulse patterns on magnitude of pain, 41
LUNDBLAD, L. (*see* DUNÉR-ENGSTRÖM, M.)
LUNDEBERG, J.M. (*see* ULLMAN, J.E.)
LUNDEBERG, T. (*see* UVNÄS-MOBERG, K.)
LUNDVALL, J. & EDFELDT, H. LBNP - a safe method in man capable of disclosing the wide range of baroflex limb vascular resistance control exercised by the sympathetic vasomotor fibres, 401
LUNDVALL, J. (*see* LÄNNE, T.)

MACDOUGALL, J.D, TERNOPOLSKY, M.A., CHESLEY, A. & ATKINSON, S.A. Changes in muscle protein synthesis following heavy resistance exercise in humans: a pilot study, 403
MARKOV, CH. M. (*see* RODIONOV, I.M.)
MATEJKA, G. (*see* JENNISCHE, E.)
MATTIASON, A. (*see* IGAWA, Y.)
MEISTER, B., JACOBSSON, G. & ELDE, R. Observations on the localization of prolactin receptor mRNA in rat tissues as revealed by in situ hybridization, 533
MENDEZ, C.F., HANSSON, A., SKOGLUND, G., INGELMAN-SUNDBERG, M. & APERIA, A. Protein kinase C activity in rat renal proximal tubules, 135
MIMRAN, A. (*see* MORSING, P.)
MORITA-TSUZUKI, Y., BUSKELA, E. & HARDEBO, J.E. Vasomotion in the cat cerebral microcirculation recorded by laser-Doppler flowmetry, 431
MÖRNER, S.E.J.N. (*see* ARLOCK, P.)
MÖRNER, S.E.J.N., CANEPARI, M., BOTTINELLI, R., CAPPELLI, V. & REGGIANI, C. Effects of Amrinone on shortening velocity, force developments and ATPase activity of demembranated preparations of rat ventricular myocardium, 21
MORSING, P., STENBERG, A., CASELLAS, D., MIMRAN, A., MÜLLER-SUHR, C., THORUP, C., HOLM, L. & PERSSON, A.E.G. Renal interstitial pressure and tubuloglomerular feedback control in rats during infusion of atrial natriuretic peptide (ANP), 393
MÜLLER-SUHR, C. (*see* MORSING, P.)

NELLGÅRD, B. & WIELOCH, T. NMDA-receptor blocker but not NBQX, and AMPA-receptor antagonist, inhibit spreading depression in the brain, 497
NELLGÅRD, P. (*see* BÖJÖ, L.)
NEWSHOLME, E.A. (*see* BLOMSTRAND, E.)
NIELSEN, J. & PETERSEN, N. Changes on motor cortex

excitability preceding voluntary ramp-and-hold plantar flexion in man, 399
NILSSON, U. (*see* HARALDSSON, G.)
NORDBERG, C. (*see* WÅHLANDER, H.)
NORDLANDER, M. (*see* WÅHLANDER, H.)

OGITA, F. (*see* SAITO, M.)
OHNO. H., YAMASHITA, H., OOKAWARA, T., SAITOH, D., WAKABAYASHI, K. & TANIGUCHI, N. Training effects of concentrations of immunoreactive superoxide dismutase iso-enzymes in human plasma, 291
OISHI, Y., ISHIHARA, A. & KATSUTA, S. Muscle fibre number following hindlimb immobilization, 81
OLGART, L. (*see* AARS, H.)
OLUAUSSON, B., SHYU B.-C., RYDENHAG, B. & ANDERSSON, S. Thalamic nociceptive mechanisms in cats influenced by central conditioning stimuli, 40
OOKAWARA, T. (*see* OHNO, H.)
ØSTENSON, J. (*see* HYSING, J.)

PAULSSEN, E.J. (*see* PAULSSEN, R.H.)
PAULSSEN, R.H., PAULSSEN, E.J., GAUTVIK, K.M. & GORDELADZE, J.O. Modulation of G proteins and second messenger responsiveness by steroid hormones in GH3 rat pituitary tumour cells, 511
PERSSON, A.E.G. (*see* MORSING, P.)
PERSSON, A.E.G., SALOMONSSON, M., KORNFELD, M., GUTIERREZ, M. & GONZÀLEZ, E. Activation of the tubuloglomerular feedback mechanism in an *in vitro* preparation of the juxtaglomerular apparatus, 289
PETERSEN, N. (*see* NIELSEN, J.)
PETTERSSON, S. (*see* HARALDSSON, G.)
PINELIS, V. (*see* RODIONOV, I.M.)
POIRIER, M. (*see* KUNEŠ, J.)
PURALI, N. & RYDQVIST, B. Block receptor potassium outward currents in the crayfish stretch receptor neurons by 4-aminopyridine, tetraethylammonium chloride and some other chemical substances, 67

QUITTENBAUM, S. (*see* LÄNNE, T.)

RADA, G.K. (*see* KEMP, G.J.)
RADA, G.K. (*see* THOMPSON, C.H.)
RÆDER, M.G. (*see* VILLANGER, O.)
RAJAGOPALAN, B. (*see* KEMP, G.J.)
RAUD, J. (*see* LINDBOM, L.)
RAUD, J., LINDBOM, L. & HEDQVIST, P. Histamine and leokotriene C4 act synergistically via a blood flow-independent mechanism to enhance microvascular plasma leakage, 545
REGGIANI, C. (*see* MÖRNER, S.E.J.N.)
RODIONOV, I.M. (*see* TARASOVA, O.S.)
RODIONOV, I.M., TARASOVA, O.S., VAKULINA, T.P., KOSHELEV, V.B., PINELIS, V. & MARKOV, CH. M. Vasoconstrictor reactions in spontaneously hypertensive rats versus Wistar Kyoto can be increased or decreased depending on the conditions of perfusion, 185
ROOMANS, G.M. (*see* SAGSTRÖM. S.)
ROŠA, J. (*see* ROŠA, J.)
ROŠA, J., ROŠA, J. & FIŠTER, V. Effects of somatostatin on glucagon-stimulated glycolgenolysis and glucogenesis in hepatocytes cultured *in vitro*, 205
ROSDAHL, H. (*see* HICKNER, R.C.)
ROSÉN, A., BRODIN, K., ENEROTH, P. & BRODIN, E. Short term restraint stress and s.c. salin injection alter the tissue levels of substance P and cholecystokinin in the peri-aqueductal grey limbic regions of rat brain, 341
RUDENSTAM, J. (*see* BERGSTRÖM, G.)
RUDENSTAM, J., BERGSTRÖM, G., FOLKOW, B., GÖTHBERG, G. & KARLSTROM, G. Sympathetic nerve stimulation to an isolated cross-circulated kidney inhibits the pressure-induced humoral hypotensive responses but increases diuresis and natriuresis in the cross-circulating Wistar 'assay' rat, 529
RUNDGREN, M. (*see* ERIKSSON, S.)
RUNDGREN, M. (*see* ULLMAN, J.E.)
RYDENHAG, B. (*see* OLUAUSSON, B.)
RYDQVIST, B. (*see* PURALI, N.)

SAGSTRÖM, S., ROOMANS, G.M., WROBLEXSKI, R., KEULEMANS, J.L.M., HOOGEVEN, A.T. & BIJAMN, J. X-ray micro-analysis of cultured respiratory epithelial cells from patients with cystic fibrosis, 213
SAHLGREN, B., EKLOF, A.-CH. & APERIA, A. Regulation of glomerular angiotensinII receptor densities in renovascular hypertension: response to reduced sympathetic and vasopressin influence, 467
SAITO, M., KAGAYA, A., OGITA, F. & SHINOHARA, M. Changes in muscle sympathetic nerve activity and calf blood flow during combined leg and forearm exercises, 449
SAITOH, D. (*see* OHNO, H.)
SALOMONSSON, M. (*see* PERSSON, A.E.G.)
SALVIATI, G. (*see* LARSSON, L.)
SATOH, H. (*see* DELAY-GOYET, P.)
SATOH, H., LOU, Y.-P., LEE, L.-Y. & LUNDBERG, J.M. Inhibitory effects of capsazepine and the NK2 antagonist SR48968 on bronchoconstriction evoked by sensory nerve stimulation in guinea-pig, 535
SCHERSTÉN, T. (*see* HARALDSSON, G.)
SEISJÖ, B.K. (*see* KRISTIÀN, T.)
SELIGSOHN, E.E. Adrenergic and non-adrenergic cardiovascular effects of thyrotropin-releasing hormone (TRH) in the anaesthetized rabbit, 107
SHINOHARA, M. (*see* SAITO, M.)
SHYU B.-C. (*see* OLUAUSSON, B.)
SJÖDIN, B. (*see* BANGSBO, J.)
SKOGLUND, G. (*see* MENDEZ, C.F.)
STENBERG, A. (*see* MORSING, P.)
SUNDBERG, C.J. & KAISJER, L. Effects of graded

restriction of perfusion on circulation and metabolism in the working leg: quantification of human ischaemia model, 1
SVENNINGSSON, P. (*see* JOHANSSON, B.)

TAHVANAINEN, K.U.O. (*see* HEDMAN, A.E.)
TANIGUCHI, N. (*see* OHNO, H.)
TARASOVA, O.S. & RODIONOV, I.M. The role of purinergic neurotransmission in various cardiovascular reflexes, 441
TARASOVA, O.S. (*see* RODIONOV, I.M.)
TAYLOR, D.J. (*see* KEMP, G.J.)
TERNOPOLSKY, M.A. (*see* MACDOUGALL, J.D.)
THAMS, P. (*see* KRØIGAARD, M.)
THEANDER, S. (*see* EDMAN, A.)
THOMPSON, C.H., KEMP, G.J. & RADDA, G.K. Changes in high energy phosphates in rat skeletal muscle during acute respiratory acidosis, 15
THORUP, C. (*see* MORSING, P.)
TOLLESHAUG, H. (*see* HYSING, J.)
TOREBJÖRK, H.E. (*see* LUNDBERG, L.E.R.)
TREMBLAY, J. (*see* KUNEŠ, J.)

ULLMAN, J.E., HJELMQVIST, J.E., LUNDEBERG, J.M. & RUNDGREN, M. Tolerance to haemmhorage during vasopressin antagonism and/or captopril trearment in conscious sheep, 457
UNGERSTEDT, U. (*see* HICKNER, R.C.)
UVNÄS-MOBERG, K., LUNDEBERG, T., BRUZELIUS, G. & ALSTER, P. Vagally mediated release of gastrin and cholecystokinin following sensory stimulation, 349

VAKULINA, T.P. (*see* RODIONOV, I.M.)
VEEL, T. (*see* VILLANGER, O.)
VILLANGER, O., VEEL, T., HOLTHE, M.R., CRAGOE JR, E.J. & RÆDER, M.G. Secretin stimulates bile ductules to secrete both H^+ and $HCO3^-$-ions, 369
VON EULER, G. & LIU, Y. Dopamine inhibits [3H]MK-801 binding in membrane preparations from rat cerebral cortex and caudate-putamen, 547

WAALER, B.A. & ERIKSEN, M. Post-prandial cardiovascular responses in man after ingestion of carbohydrate, protein or fat, 321
WÅHLANDER, H., NORDBERG, C., NORDLANDER, M. & FRIBERG, P. Functional and stereological estimations of myocardial capillary exchange capacity in treated spontaneously hypertensive rats, 165
WAKABAYASHI, K. (*see* OHNO, H.)
WALLIN, B.G. (*see* KUNIMOTO, M.)
WALLIN, B.G. (*see* KUNIMOTO, M.)
WEITZBERG, E. (*see* ALVING, K.)
WEIELOCH, T. (*see* COIMBRA, C.)
WIELOCH, T. (*see* NELLGÅRD, B.)
WOHLFART, B. (*see* ARLOCK, P.)
WROBLEXSKI, R. (*see* SAGSTRÖM, S.)

XIE, X. (*see* LINDBOM, L.)

YAMASHITA, H. (*see* OHNO, H.)

ZERANI, M. & GOBBETTI, A. *In vivo* and *in vitro* studies on effects of β-endorphin and naloxone on sex steroids in the water frog, *Rana esculenta*, 271

Acta Physiol Scand 1992, **146**, 557–560

Subject Index

Acute stress, 341
Adenosine, 87
Adenosine receptors, 539
Atriphosphate, 441
Adenylyl cyclase, 511
Adhesion, 415
Adrenal, 533
Adrenergic antagonists, 107, 377
Afferent arteriole, 289
Afferents, 519
Alkaline secretion, 519
Amiloride, 369
5-(N,N-hexamethylene)amiloride, 369
4-Aminopyridine, 67
Amrinone, 21
Amygdalectomy, 61
Anaesthesia, 329
Anamalous rectifier, 221
Angiotensin II, 197, 289, 413, 457, 467
Antihypertensive, 527
Antioxidants, 177
Ascular resistance, 449
ATP synthesis, 15
Atrial natriuretic peptide (ANP), 393
Atropine, 357
Autonomic nerves, 129
Autonomic nervous system, 155, 519
Autoradiaography, 79
A-β and A-α afferent, 349

Baroreceptors, 401
Basal ganglia, 539
BCECF, 369
Beta-endorphin, 271
Bicarbonate, 369, 519
Bile ductules, 369
Bladder hyperactivity, 409
Blood flow, 107, 401, 87
Blood pressure, 107, 155, 441
Brain, 107
Brain cortex, 473
Branched-chain amino acids (BCAAS), 293
Bronchial circulation, 407
Bronchoconstriction, 535

Ca^{2+} antagonist, 165
Caffeine, 539
Calcitonin gene-related peptide, 119
Calcium-related damage, 531
Capillary, 165
Capillary filtration coefficient (CFC), 313
Capsaicin, 119, 535
Capsazepine, 535
Captopril, 457
Cardiac muscle, 21
Cardiac output, 321
Cardiovascular control, 107
Castration, 405
Cat, 49
Catecholamines, 61
CCK, 349
Cell culture, 213
Cerebral blood flow, 431
Cerebral ischaemia, 473
Cervical secretion, 129
Cervix uteri, 129
Cetaceans, 141
CGRP, 537
CGS 15943, 539
Cholecystokinin, 341
Cholinergic, 119
Choroid plexus, 533
Cigarette smoke, 407
Circulation, 329
Citric acid, 535
CO_2-anaesthesia, 61
Cold pressor test, 423
Combined muscle work, 449
Concious dogs, 197
w-conotoxin, 119
Constant flow perfusion, 185
Constant pressure perfusion, 185
Corpus cavernosum, 405
Co-transmission, 357
Crayfish, 67
Cumene Hydroperoxide, 177
Cyclic AMP, 357
1,3-Dipropyl-8-cyclopentylxanthine, 539
Cystic fibrosis, 313
Cystolic free calcium, 289
c-*fos*, 539

Degeneration, 543
Dexa-methasone, 511
Diffusion coefficient, 473
Digital imaging microscopy, 289
Digoxygenin labelling, 79
Diuresis, 529
Dopamine, 547
Doppler ultrasound, 321
Ductular bile secretion, 369
Duodenum, 519

Dynamic exercise, 423

Electrical field stimulation, 535, 537
Electrolytes, 393
Electro-acupuncture, 349
ELISA, 291
Endocytosis, 241
Endothelin-1 (ET-1), 197
Energetics, 141
ESR, 99
Essential hypertension, 307
Ethanol, 87
Excitability stabilization, 221
Excitation-contraction coupling, 31
Exercise, 1, 11, 293
Exercise training, 291
Exitotoxicity, 531
Extracorporeal cross-circulation, 527, 529

Fatigue, 11
Felodipine, 165
Fluorescence, 369
Force-velocity relation, 21
Fura-2/AM, 289
Furosemide, 289

G proteins, 511
Galvanic skin response, 261, 385
Gastrin, 349
Gastrointestinal motility, 377
Gastrointestinal tract, 285
Glomerular filtration rate (GFR), 393
Glucogon, 205
Gluconeogenesis, 205
Glucose, 283, 87
Glutamate, 497
Glutathione, 77
Glycerol, 87
Glycogen, 505
Glycogenolysis, 295

Haemorrhage, 457
Healthy subjects, 1
Heart, 165
Heart rate variability, 155
Heat loss, 141
Heat shock protein 70 gene, 307
Hepatocytes, 205
Histamine, 545
Histochemistry, 281
Human, 401
Human atrial muscle, 31
Human longitudinal study, 251
Humans, 41
Hydroperoxide metabolism, 177
Hypercapnia, 431
Hyperpolarization-activated membrane current, 221
Hypertension, 467, 527, 529
Hypertensive resistance vessels, 185
Hypertrophy, 165, 403
Hypocapnia, 431
Hypotension, 431, 457
Hypothalamus, 533
Hypothermia, 531, 543
Hypovolaemia, 299, 313
Hypoxanthine, 549
H-reflex, 399

IGF-I binding, 79
Immobilization, 281
In situ hybridization, 79
Inactive muscles, 549
Inflammation, 415, 545
Insulin, 241
Insulin resistance, 505
Insulin-like growth factor I, 79
Integrin, 415
Intense exercise, 549
Intermittent claudication, 1
Interstitial space, 473
Inter-renal, 271
Intracarotid, 413
Intracellular transport, 241
Intrathoracic pressure, 155
Intra-neural stimulation, 41
Inward rectifier, 221
Ion-sensitive micro-electrodes, 473
Ischaemia, 497, 543, 99
Ischaemic, 1
Isolated kidney, 529
Isometric exercise, 423

Kidney, 99, 527, 533

Lactate, 87
Lactate release, 1
Laser Doppler flowmetry, 423, 431
LBNP, 401
Leg blood flow, 1
Leg positive pressure, 1
L-[1-^{13}C]leucine incorporation, 403
Leukocytes, 415
Leukocyte rolling, 415
Leukotrienes, 545
Lobster stretch receptor neurone, 221
Lower body negative pressure (LBNP), 299
Lung, 119
Lymphocytes, 307

Magnetic resonance spectroscopy, 11
Magnetic stimulation, 399
Man, 285, 299, 401
Meal composition, 321
Mechanotransduction, 67
Medullipin N-ω-nitro-L-arginine, 527
Medullipins, 529

Metabolic vasodilation, 449
Metabolism, 197
α,β-Methylene adenosine triphosphate, 441
Microcirculation, 415, 431
Microdialysis, 87
Microelectrode artefacts, 221
Microneurography, 261, 385
Microspheres, 329
Micturition reflex, 409
Mitochondria, 11, 15
MK-801, 547
Mn-superoxide dismutase, 289
Motor cortex, 399
Motor neurones, 399
Muscle, 11, 293, 505
Muscle fibre areas, 251
Muscle fibre number, 281
Muscle fibre types, 251
Muscle regeneration, 79
Muscular jerks, 61
Myocardium, 177
Myofibrillar ATPase, 21
Myogenic activity, 409
Myosin, 21
Myosin heavy chain composition, 485
Mysticetes, 141

NADPH diaphorase, 285
Naloxone, 271
Natriuresis, 529
Na^+-H^+ exchange, 369
Neurohypophysis, 233
Neurokinin A, 119
Neuronal damage, 497
Neuronal death, 543
Neuropeptide Y, 341
Neurosecretory granules, 233
Nicotine, 119
Nitric oxide, 285, 407, 527, 405
NMDA channel, 547
Nociception, 49
Nociceptive fibres, 41
Non-noxious stimulation, 349
Noradrenaline, 441
Noradrenaline or vasopressin, 185

17β-oestradiol, 511
Ontogeny, 135
Ovaries, 271
Ovary, 533
OXANOH, 99
OXANO., 99
Oxygen saturation, 1
Oxypurinol, 99

Pain, 371, 41
Parasympathetic nerves, 357
Parotid saliva, 283
Penile erection, 405
Perfusion pressure, 1
Peripheral resistance, 107
Peritubular uptake, 241
Permeability surface area products, 165
Peroxides metabolism, 177
Phentolamine, 441
Phosphate, 15
Phosphodiesterase inhibitors, 21
Physical activity, 251
Pig, 369
Pituitary, 533
Plasma, 289
Plasma volume, 299
Polyamines, 233
Post-prandial circulation, 321
Potassium channels, 67
Potassium currents, 67
Power spectral analysis
Prostaglandin, 519
Prostaglandin H synthase inhibitors, 129
Prostaglandins, 129, 545
Protein kinase C, 135
Protein synthesis, 403
Protracted hypertension, 413
Proximal tubule cells, 135
Pulmonary circulation, 407
Pulpal blood flow, 423

Rabbit, 107, 405
Radio-immunoassay (RIA), 197, 341
Rana esculenta, 271
Rat, 281, 409, 441, 527, 529
Rat kidney, 140
Rat pituitary cells, 511
Rats, 393, 505
Receptor regulation, 467
Recirculation of calcium, 31
Recovery from exercise, 11
Regulation, 329
Relaxation, 405
Renal interstitial pressure, 393
Renal medulla, 527
Renal nerve stimulation, 529
Renal proteolysis, 241
Renin, 457
Reperfusion, 99
Resinferatoxin, 119
Respiratory acidosis, 15
Respiratory epithelium, 213
Respiratory sinus arrythmia, 155
Resting voltage, 221
Running, 177

Sarcoplasmic reticulum, 485
Secretin, 369
Secretosomes, 233
Seizures, 497

Selectins, 415
Sensory nerves, 119
Sex, 251
Sex steroids, 271
Sheep vasopressin, 457
SHR, 165
Single myocytes, 39
Sinocarotid reflex, 441
Skeletal muscle, 15, 87, 251, 299, 313, 401
Skin, 299, 313, 401
Skin blood flow, 423
Skinned fibres, 485
Smooth muscle, 285
Soleus muscle, 281
Somatosensory afferents, 349
Somatostatin, 205, 349
Spin trap, 99
Splanchnic circulaton, 321
Splanchnic nerves, 519
SR 48968, 535
Stereology, 165
Stretch-receptor, 67
Submandibular gland, 357
Substance P, 537, 341
Sweat glands, 261, 385
Swimming, 177
Swine, 61
Sympathetic, 401
Sympathetic stimulation, 185
Sympathetic vasoconstrictor tone, 449
Sympatho-adrenal system, 283

Temporal summation, 41
Testis, 271, 533
Testosterone, 505
Tetraethylammonumchloride, 67
Tetramethylammonium, 473
Tetrodotoxin, 119
Thalamus, 49
Thermal stimulation, 349
Thirst, 413
Thyroliberin, 107
Tooth pulp, 423
Transcapillary absorption, 313
Transcapillary fluid absorption, 299
TRH, 107
Troponin, 485
Tubuloglomerular feedback (TGF), 289, 393

Uric acid, 549
Uterus, 533

Vagal nerves, 519
Vagus nerve, 377
Variability, 155
Vascular control, 401
Vascular permeability, 545
Vasoconstriction, 185
Vasodilatation, 357, 407, 545, 537
Vasomotion, 431
Vasopressin, 197, 87
Vasopressin antagonist, 457
Venular endothelium, 415
Vibration, 349
Voltage stabilization, 221
Voltage-clamp, 67, 31
Volume fraction, 473

Weight lifting, 403

X-ray microanalysis, 213